



## “HOW 3D PRINTING IS SHAPING TOMORROW’S ENGINEER”

N. Ushasri<sup>1</sup>, S. Vrushitha<sup>1</sup>, J. P. Pramod<sup>2</sup>

### ABSTRACT

New technologies such as 3D printing enable customized products and solutions (like your Isla!) to be built completely from your product designs as created through computer programs. In contrast to traditional methods of manufacturing (e.g., cutting, shaping, processing/manipulating materials to create something new from a previously made object), 3D printing is an additive process, making it possible to build objects from the ground up creating a much more exact and flexible design than traditional methods, and usually using much less time to produce the finished product than with traditional processes. The impact of 3D printing will extend to many different types of industries including automotive, medical, construction, aerospace, education, etc.

The use of 3D printing technology has become a crucial element in Engineering education as both an instructional tool and a way to connect theory and application of Engineering concepts. With the ability to create their Computer Aided Design (CAD) works into physical 3-dimensional (3D) objects, Engineering students can gain tactile experience with complex shapes, structures, and concepts. Additionally, the use of 3D printing technology permits students to gain experiential learning with regards to their design capabilities in the areas of CAD developing and material choices after using 3D Printing technology, as well as mechanical testing. Engineers-of-short develop critical thinking skills through prototype development and mechanical testing, increasing their ability to creatively apply their theoretical knowledge. Use of 3D printing technology allows for collaboration between Engineers of differing disciplines including mechanical, electrical, civil and computer Engineers, thereby fostering teamwork and creativity across the breadth of the project.

Aside from education, there are a number of other applications for how 3D printing can be used. The medical field utilizes 3D printing for a variety of products such as prosthetics, dental implants, and surgical preparation models. 3D printing also plays an important role in aerospace and automotive industries, as items made from lightweight materials tend to be more fuel efficient and less expensive than heavier counterparts created using traditional methods, due, in part, to the ability to create 3D shapes. The construction and architectural industry is able to showcase their capabilities through 3D printing by producing pre-fabricated models and complex architectural features. Artists and designers can create custom-made products through the use of 3D printing technology that would otherwise be difficult or impossible to achieve through traditional means.

One of the main benefits of 3D printing is its efficiency and sustainable nature due to the addition of materials being only done directly where it is necessary, and this leads to the creation of far less waste than traditional subtractive manufacturing processes. Furthermore, the use of localised, one-off productions of certain items reduces both mass-produced items (which need to be remotely manufactured, hence subject to large-scale transport) and therefore, the amount of energy consumed, and the associated environmental impact. The technology also enables rapid prototyping, which is defined as the quick iteration of designs and the testing of functional prototypes and is helpful in both academic institutions and industrial settings.

**KEYWORDS:** Additive by Manufacturing, Computer-Aided Design (CAD), Customization, Digital Fabrication, Engineering in Education, Hands-On the Learning, Innovation, Interdisciplinary Collaboration, Layer-by-Layer Fabrication, Material Science, Product Development, Rapid Prototyping, Sustainable Manufacturing, Technology in the Education, The 3D Printing

<sup>1</sup> B.E Student,  
Department of  
Electronics and  
Communications  
Engineering, Stanley  
College of Engineering  
and Technology  
for Women, Abids,  
Hyderabad, Telangana,  
India

<sup>2</sup> Researcher,  
Department of Physics,  
Lincoln University,  
Malaysia.

#### How to Cite:

N. Ushasri,  
S. Vrushitha, J. P.  
Pramod (2026),  
“How 3d Printing is  
Shaping Tomorrow’s  
Engineer”,  
International  
Educational Journal of  
Science & Engineering  
(IEJSE), Vol: 9, Issue: 3,  
12-25

## INTRODUCTION

3D printing has become an important part of the engineering education experience because it helps to provide new opportunities to engage in learning. Traditionally, engineering education has focused on theoretical knowledge, mathematical modelling and simulation, which means that it does not often give students any hands-on experience creating real physical products from their ideas. 3D printing helps to fill this gap by allowing students to convert their designs in the computer to models in the real world. Through the creation of 3D printed solutions, students can visualise their ideas; experiment with how things work; and gain a better sense of what it means to be an engineer in terms of the physical performance of a given product before it is manufactured. For example, mechanical engineering students can CAD model gears and then create functional 3D printed models with which to test the performance of their gear systems; whereas civil engineering students can design a building using CAD and then create 3D printed architectural models to evaluate things such as load distribution and how structurally sound their building is.

The emergence of stereolithography (an additive manufacturing process that uses 3D printing) represents one of the most crucial milestones in the evolution of the 3D printing process and its capabilities to manufacture 3D objects from the addition of layers of materials onto one another. Stereolithography was also the very first use of ultraviolet radiation used to cure layers of photosensitive liquid (photopolymer) into hard, solid 3D objects. Stereolithography allowed for the development of different types of materials (plastics, metals, ceramic, composite, and even biological materials) in 3D printed objects and continues to evolve from original uses in business and school settings to now widespread use across multiple business sectors. The ongoing growth of additive manufacturing technology is further proof that technological advancement provides the opportunity for the creation of innovative ideas and many different types of advances across various fields. The ability of manufacturing businesses to produce complex or customized products has made additive manufacturing superior to traditional manufacturing when it comes to creating new products, creating prototypes of new products, and producing low-

volume products in the manufacturing process.

The introduction of 3D printing into engineering education has transformed the way students engage with their studies, creating new avenues for hands-on learning. Historically, students in the field have focused on acquiring predominantly theoretical knowledge; thus, they have had relatively few opportunities to gain real-life experience in design and production. Through the process of making 3D printed solutions, many students are able to develop an understanding of their ideas through visualization, experimentation and ultimately determining their viability as engineers in terms of the physical performance of products produced before they are manufactured. Students enrolled in mechanical engineering courses may use CAD to model gears and 3D print functional props with which they may test their gear systems; whereas, students enrolled in civil engineering courses could use CAD to design a building and 3D print a scaled model of that building to determine load distribution or to confirm structural integrity of their building design. Thus, students are able to develop strong critical thinking, active learning through the use of hands-on experience with real products, and problem-solving skills using newly developed technology, which they will utilize throughout their engineering career.

Furthermore, incorporating 3D printing into schools has a positive effect on fostering creativity and innovation of students. In traditional manufacturing processes, a designer or manufacturer typically has limitations on the designs of products because of the limitations associated with tooling, manufacturing methods, and materials used to build products. However, in the world of additive manufacturing, designers/students have the ability to try out many different design options; experiment with different types of designs: complex designs, lightweight designs, and different types of materials. Since 3D printing is additive, students can make, modify and quickly produce many different prototypes; therefore, creating an environment that supports a process for trying, developing, and refining through prototyping. Additionally, when using additive manufacturing there is a natural tendency for students from each of the engineering disciplines; mechanical engineering, electrical engineering, civil engineering, and

computer engineering to work together in teams to design, develop, manufacture and test engineering-related projects. Schools providing students with interdisciplinary learning (learning opportunities), provide opportunities for students to work together (teamwork), collaborate, and create innovative products.

Non-educational industries are able to utilize 3D printing for various production goals and applications. Medical applications include the fabrication of prosthetic devices that correspond with a patient's unique body structure, dental implant production, surgical preparation models and tissue printing for surgical procedures, creating personalized surgical procedures, and tissue printing. Aircraft and automotive manufacturers use additive manufacturing techniques for creating lightweight, durable, and aerodynamic components to enhance manufacturing cost savings and efficiency of their products. Construction and architecture businesses utilize 3D printing to create scale models of their designs, use actual construction materials to ensure more accurate building and use of building material(s), and construct the designed project more efficiently and quickly than traditional manufacturing methods.

Using 3D printing produces objectively verifiable advantages such as improved environmental awareness and decreased global footprint through the follow manufacturing processes have resulted in greater overall quantities of material ending up as unusable waste than other processes have done (for example producing a finished good from a piece of wood, through removal of mass from that wood until you arrive at your finished good leaves you with a large amount of unused). Virtually all mass is eliminated from the finished product when the product is designed and manufactured using Additive Manufacturing Techniques. Additionally, because you will always create your product locally and be able to complete all aspects of manufacturing locally—ie. assembling / packaging / shipping—all energy use is greatly reduced and there is far less global footprint created during manufacturing than would otherwise occur with other types of manufacturing Often during rapid prototype (based on 3d printed prototype) development stage

designers and engineers undergo a great deal of trial and improvement to ensure their desired design meets the required specifications while remaining cost effective. This rapid prototype development reduces both time and cost while greatly increasing the efficiency of resource utilization that allows for better results in both education and industrial.

There are challenges and limitations to utilizing 3D printing technologies in addition to many benefits of using 3D printing technologies. 3D printing technologies require expensive high-quality equipment and specific types of materials, making it difficult for smaller organisations and some school systems to access 3D printers. Limitations also exist with regard to speed of printing, durability of materials used in printing, and size of printed objects but, particularly with regards to producing large-size or load-bearing items. Also, use of 3D printers requires experience with CAD software, material properties, and the mechanical aspects of the printer which requires that students and professionals have proper training. Ongoing research and development is addressing these issues and expanding the variety of materials available, increasing the speed of printing, improving the accuracy of the prints and lowering the cost of using 3D printers which will ultimately help to make 3D printing technology more widely available to the general public.

3D Printing as Part of Engineering Education – 3D Printing has changed how students obtain and share knowledge in a College or University environment while also using that knowledge in hands-on and applied learning experiences. Students learn using 3D printing technology will give them opportunities to participate fully in their projects through hands-on work in design, model construction, and testing; thus providing students with the opportunity to develop greater creativity and measure, assess, and create with greater analytical capability. In addition to facilitating design, 3D printing technologies create better opportunity for spatial understanding for students to visualize and create 3 dimensional representations of mechanical design, structural and architectural concepts. By transforming digital design into real-life piece, students will be able to use experience learning to help them understand and retain abstract concepts and be more prepared

to enter into the design, manufacturing, research or innovation sector of the industry by being exposed to technologies used in those industries.

Due to developments in materials, manufacturing techniques, etc., there are many new ways to create 3D watches with continued advances within 3D printing. Integrating 3D printers into classrooms will not only broaden student understanding of engineering, but also stimulate creativity, experimentation, and model problem solving within an environment-based educational system focused on developing a culture of curiosity, discovery, and experimentation. As more retailers sell 3D printers and therefore more schools begin incorporating these tools as part of their curriculum, there will be more opportunities and options to utilize 3D printing for educational purposes, as well as in many other fields.

## REVIEW OF LITERATURE

Additive Manufacturing (commonly known as 3D Printing) has changed the way we do manufacturing today. The process of additive manufacturing creates items that are made from digital files by adding material in layers to create the finished product. While additive manufacturing was initially used mostly for rapid prototyping, it is now widely used in many industries such as healthcare, aerospace, automotive, and education. There are many different methods of 3D printing that can be utilized based on the application and/or material used to produce the printed object. The most common method of 3D Printing today is Fused Deposition Modeling (FDM) Because it is inexpensive and simple to operate, FDM is a great option for use in rapid prototyping and in an educational environment. Some other examples of other types of 3D Printing include: Stereolithography (SLA) which produces highly accurate parts with excellent surface finish; Selective Laser Sintering (SLS) and Direct Energy Deposition (DED) can produce functional parts and large industrial components. When using 3D Printing methods there is a need to be certain that you choose the appropriate method for your application, desired level of accuracy, and mechanical characteristics needed.

3D printing has opened up an expansive list of new materials for 3D printing beyond simple thermoplastics (like PLA and ABS). Specialized

applications will require the use of advanced material types such as metals, ceramics, composites and/or bio-compatible materials. Research performed at EPFL has demonstrated that vat photopolymerization has the potential to produce stronger than traditional metal parts manufactured via 3D methods (as much as three times stronger). Additionally, IIT Indore has been working on developing a new method of producing low cost, energy efficient, metal parts through micro-plasma metal additive manufacturing (MP-MAM). This technology could be used across a range of industries, including medical and aerospace applications. Continued development of new biopolymers and/or composite materials with improved mechanical properties and lower environmental impact is being conducted. The literature clearly states that new materials must be developed to increase the usability of 3D printers.

In various fields, 3D printing can be utilized to make parts and models for numerous benefit-oriented purposes. For example, in healthcare before a surgery occurs a full-scale 3D printed model of a patient can be printed using an MRI or CT scan of their anatomy as a guide by medical professionals during the actual surgical procedure itself when needed to help increase the accuracy of medical simulation(s).

Numerous research studies have shown that when practicing on 3D models prior to conducting real-life surgeries adds an additional level of realism or allows medical professionals to practice for the various complications affiliated with each individual surgery before actually performing it in real time.

In aerospace manufacturing 3D printing provides various benefits to manufacturers including the manufacturing of complex aeronautical structures consisting of multiple components by reducing the number of component parts therefore reducing the total weight of the product as compared to traditional methods while also optimizing the fuel consumption or efficiency of the aircraft itself.

Agnikul Cosmos has recently demonstrated the capability of 3D printing by producing the largest single component manufactured to date through the use of 3D printing which is a complete Thrust Chamber structure for a rocket engine manufactured

of Inconel, a revolutionary capability.

In addition, many traditional schools or institutions are now implementing 3D printing as part of the learning experience in the classroom via 3D printed physical models to illustrate abstract concepts/ideas introduced in STEM courses.

Furthermore, various research studies have reported that schools utilizing 3D printers produce improved outcomes associated with students engaging in kinesthetic learning opportunities as opposed to just traditional learning methods thereby encouraging students' creativity.


3D printing contains multiple benefits but it faces several difficulties. The industry still faces material restrictions which include strength and toughness and processing requirements. The printed components require consistent quality control because machine calibration and ambient conditions and process parameters create challenges. Research focuses on using artificial intelligence and real-time monitoring systems to decrease defects while improving system reliability. The experts also point to another area of concern, namely environmental impact, since energy-intensive processing and waste of materials can cancel out some benefits against conventional manufacturing. Research indicates that using recycled materials and optimizing energy is crucial in order to enhance sustainability. The future research will focus on three areas which include material capabilities and process optimization and sustainability research. The 3D printing industry will benefit from new advanced composites and bio-compatible materials and smart polymers. Machine learning together with artificial intelligence enables better accuracy and reduced error rates and enhanced operational efficiency. The 3D printing industry needs to adopt sustainable methods which include energy-efficient equipment and recycled filaments and optimized manufacturing processes to achieve lower carbon emissions.

## REASONS

### 1. Design Flexibility

The fact that 3D printing has the flexibility of design is one of the reasons why the technology is being utilized. It is hard (or impossible) to create shapes using traditional manufacturing techniques because

of their limitations in creating complex shapes, internal structures, and overhangs, but with the use of additive manufacturing, products can be created layer by layer, allowing designers to create shapes that are too complicated to create using traditional manufacturing alternatives or would cost more to make using other existing alternatives. The creation of complex shapes is very important in the aerospace and automotive sectors because of their need to have structures that have the lowest weight possible while optimizing their performance. It has been shown in many studies that the design flexibility offered by 3D printing will not only improve the functionality of a product but will also spark innovations in engineering and architecture.



### 2. Customization and Personalization

3D printing provides a significant advantage through its ability to create customized products. The technology enables manufacturers to print products that are made according to individual specifications without the use of special molds or tooling. In medicine, this makes it possible to produce patient-specific implants, prosthetics, and surgical guides for improved comfort and medical results. The manufacturing process of personalized jewelry and shoes and glasses allows businesses to create customized products which meet specific customer preferences. The ability to create one product or a few products at a time makes 3D printing systems important for businesses that need to create custom products

### 3. Rapid Prototyping and Product Development

The capability to produce goods quickly is critical for today's manufacturers, and 3D printing can greatly help in this area. Rapid prototyping helps designers and engineers create prototypes for testing and/or evaluation and then make changes within days, rather than weeks or months—thus reducing the overall time required to create a product. The rapid

cycle of improvement helps to increase efficiency and decrease the cost of new products entering the marketplace. Most organizations are employing this technology as a tool to enhance innovation and sustain a competitive edge in product design speed.

#### 4. Cost Efficiency

Additive Manufacturing (AM) is an attractive and cost-effective alternative to conventional manufacturing techniques for the production of products in small series or for the production of low series of units. Unlike conventional manufacturing techniques that require high costs of molds and relatively time-consuming assembly processes, the AM manufacturing technique requires the production of a unit using only the material required for the production of the unit, thus conserving both waste and total production costs. Furthermore, designs that require a number of steps for assembly in conventional manufacturing techniques can be produced from a single 3D printed component. Recent studies have shown that additive manufacturing is often more economical than conventional manufacturing techniques to provide greater flexibility in the production of low series or highly customized applications.

#### 5. Material Versatility

3D printing has moved beyond the 3D printing of plastics and often involves many other materials that can be 3D printed, such as metals, ceramics, and composites. As the number of materials that can be used increases, companies will be able to choose from a wider range of materials to suit their needs. An example of this is that while the aerospace industry uses a lot of metal 3D printed parts that are lightweight yet strong, medical researchers are increasingly using bio-inks to build tissues through tissue engineering. The rate of growth of 3D printing has been mainly due to the increased number of materials that can be printed using a 3D printer.

#### 6. Accessibility and Sustainability

The availability and potential of 3D Printing for sustainable manufacturing is recognized under various names. Organizations, startups, colleges, and so on can now have access to the resources required to apply 3D Printing Technologies, without the need to establish large factory setups. Local manufacturing

decreases reliance on large supply chains, and enables manufacturing as and when required. Such properties of 3D Printing make it a suitable and environmentally friendly choice for Modern Manufacturing.

#### MEASURES

3D printing, a form of additive manufacturing, is a modern technique where a physical, three-dimensional object can be produced from a digital file, specifically a computer-aided design (CAD) file. The unique method of creating a finished object by adding materials (layer by layer) to form a desired object enables endless variations in shapes, sizes, and designs. On an industrial scale, 3D printing is widely adopted in engineering, medicine, construction, automotive, aerospace, and schooling industries among many. Yet, many common 3D printing problems are a result of the absence of proper 3D printing practices. The first of the 3D printing practices is developing an adequate design of the object to be printed in the form of a CAD file. The design must be accurate, precise, and error free. The design must be dimensioned, and all its components evaluated to confirm that design is accurate. The printed object can be easily damaged if it has an imbalance walls, or design contains smudges, less or more measurements. Designers must take the design/model to the STL format (which is the type of file 3D printers will recognize). Before 3D printing, designers ought to review the design again to confirm that all needed/included features are in place.

Selecting the appropriate material is also an important consideration in regards to your 3D printed object/s as there are many different types of material available for 3D printing (e.g. PLA, ABS, PETG, nylon, resin & metal powders) and each has its own set of properties. In particular, PLA is easy to use and ideal for novice to 3D printing, ABS is much stronger than PLA and has greater resistance to heat, while resin allows for fine detail with a very smooth finish, therefore, depending on what you are trying to create will help you determine the type of material you should opt for to create your object/s. For example, if you are manufacturing a medical model you will need to consider safety (biocompatibility), whereas if you are building mechanical parts then strength/durability will be a key factor in your choice of the type of material.

Calibration is also critical for any printer to work properly, as it needs to have appropriate settings before any printing is done. The first, and most critical, step will be to level the print bed. If not done so, the print will likely not stick to the plate and will fail. The height of the nozzle and the proper extrusion of material will also determine the success of the print. The temperatures of both the nozzle and the bed need to be set in accordance with the material being used to print. Properly calibrating before printing will help ensure the print adheres to the bed and is accurate, as well as have overall quality.

Slicing settings also play a major role in 3D printing. The slicing software will convert an object's digital model into the instructions used by the printer. The parameters used to create the slice will include; layer height, print speed, infill density, shell thickness and types of support structures. A lower layer height will produce a smoother finish on the surface of the print but take longer to print the object. If the print is produced too quickly, then the quality will be reduced. The density of the infill will help determine the strength of the printed object. The greater the density of the infill, the stronger the object will be; therefore, will require more material. Support structures are also required for areas that will overhang and need to be supported so the print will not collapse during production.

**Table 1: Important Measures in the 3D Printing Process**

| Measure              | Main Focus   | Why It Is Important                                  |
|----------------------|--|--|
| Design Preparation   | Creating accurate CAD model and converting to STL format | Prevents design errors and ensures smooth printing   |
| Material Selection   | Choosing suitable material like PLA, ABS, Resin, Nylon   | Determines strength, durability, and surface quality |
| Printer Calibration  | Bed leveling, nozzle height, temperature settings        | Ensures proper adhesion and reduces print failure    |
| Slicing Settings     | Layer height, print speed, infill, supports              | Controls strength, surface finish, and print time    |
| Safety & Maintenance | Avoid hot parts, clean nozzle, store filament properly   | Prevents accidents and increases printer lifespan    |
| Quality Control      | Inspecting for defects and post-processing               | Ensures final product meets required standards       |

Printing processes are influenced by environmental factors. Printers should be installed in areas that have stable bases with no vibration. Vibrations and sudden movements will have a detrimental affect on printer accuracy. Additionally, both the temperature and humidity of the environment should be controlled - this is particularly true for materials such as ABS which can warp due to low ambient temperature during printing. Proper ventilation is critical to allow for the escape of fumes released during printing of certain types of filament. Also, dust contamination is prevented when an organized work area is maintained.

Always adhere to safety guidelines. The nozzle and the print bed reach extreme temperatures when operating. If touched directly by skin while printing, a burn injury will occur. Users should refrain from contact with both of these parts while prints are occurring. Electrical connections must be inspected frequently to ensure proper working order and to protect from an electrical short circuit. The printer should always be kept out of the range of children or pets. While using a resin printer, users must wear gloves and masks to avoid direct contact between the skin and the printer as well as to reduce the likelihood of breathing in the vapors emitted during printing.


Another important safety measure for 3D printing is routine maintenance. Cleaning out your nozzle on a regular basis can avoid clogging. To help maintain quality of the printed product, users should keep filament stored in a dry area to prevent moisture from being absorbed by the filament. Belt tension, rod tension, and all moving parts of the printer should be checked regularly and adjusted as needed. Oiling mechanical components will also create a smooth operation of the printer. Updating the printer's firmware and/or software will help improve the print process and correct many technical issues.

The manufacturing process of an item has a quality inspection process which is actually performed after the product has been manufactured. This includes checking for defects like warping, cracks, or layers separating as well as checking the product's dimension to ensure that they correspond with the print file. The type of post-processing (sanding, polishing, painting, etc.) that will be applied to improve the look

of the product and enhance its strength will depend on the type of defect found in the printed object. Properly conducting a quality inspection is essential to ensuring that the finished product meets quality standards and performs as intended.

Energy efficiency and sustainability should also be considered. Using recyclable materials and reducing waste helps protect the environment. Efficient use of material and electricity reduces overall cost. Proper disposal of failed prints and leftover materials is necessary to maintain environmental safety.

Both documenting and keeping records are also useful actions. Keeping detailed records of the material used, settings (like temperature), layers, and print times will allow for the same successful prints to be made again as well as help avoid making the same mistakes in future projects. Writing down all notes will aid you in developing skills and working more efficiently throughout your career.



## CHALLENGES

3D printing (a.k.a. additively manufactured) is one of the top tier newer technologies within today's engineering and manufacturing industry. It provides the ability to manufacture objects through layer by layer assembly from a digital file. 3D printing has many advantages such as the ability to manufacture on-demand, create one-off prototypes, and allow for quickly altering designs but there are several challenges that impact efficiencies, costs, qualities and broad scale industry acceptance for 3D printing, which are outlined below.

### 1. Material Limitations

Material availability is one of the main hurdles for many users of 3D printing technologies today.

Many different types of materials can be used with 3D printers including plastic (PLA or ABS), metal, ceramic and composite materials (que) but each may not offer sufficient mechanical strength, heat resistance or durability when used in a heavy industry environment.

As an example, many plastic materials will not hold up under high temperatures or extreme loads; metal can be printed but is very costly and will need to be made in sterile and controlled environments, and even materials that are suitable to print often require some type of additional post-processing (such as heating or polishing), which results in longer lead times and higher costs.

Also, some materials used to make things out of 3D printing can be recycled, but many people use bad waste materials like 3D printing resins and plastics. Non-recycling of these materials can lead to more pollution in our environment; so, research will always continue on creating materials that are biodegradable, better for the environment, high-performance, and will create better quality items while helping with sustainability, along with minimizing the effects of 3D printing to the environment as a whole.

### 2. Dimensional Accuracy and Quality Control

Another big challenge is preserving dimensional accuracy, as even a slight variation in temperature, printer calibration, or material flow can alter the final product. These types of issues (warping/ shrinkage/ cracking/ layer misalignment) may exist and appear during the printing phase of creating an object.


In sectors like aerospace and healthcare, dimensional error as small as 1 mm could cause major safety or performance concerns for the industry. Therefore; it is very difficult to provide consistent quality in 3D printed objects due to the requirement that the objects be printed using various layers.

Q/A for this section: Quality goes beyond the visual inspection of parts manufactured using 3D printing as all of the manufacture occurs one layer after another. Therefore, defects may be present inside of the part, but will not be seen externally. Advanced monitoring/ inspection systems and develop monitoring capabilities must be provided

throughout the design/ materials and manufacture of a 3D printed object.

### 3. High Cost of Equipment and Materials

Another main limitation of 3D printing tech is the high price point of equipment when compared to other production methods; especially industrial quality printers, as these can be very costly. The costs associated with operating a 3D printer (in terms of material, maintenance and machine costs) can quickly add up in comparison to an industrial machine. Although there are many reasons (including waste reduction) that make the use of 3D printing for creating products such as prototypes and small-scale production viable economically, there may not be cost savings associated with large-scale, mass production when compared to traditional production processes such as injection molding. Because of the cost associated with owning and/or operating an advanced 3D printing system, small businesses and schools may have difficulty gaining access to these technologies.



### 4. Slow Production Speed

Another issue is production speed. Because 3D printers make components via layering, they can take a lot of time to produce large or complicated items. For example, it can take multiple hours/days to print a large mechanical part.

In traditional manufacturing processes, you can produce thousands of parts quickly as soon as the tooling is completed. As a result, 3D printing is not a

good alternative for making a large number of items.

Slow print speeds will also affect productivity in industries that have a need for quick deliveries.

### 5. Surface Finish and Post-Processing

To enhance the surface finish and mechanical attributes of most 3D-printed items, post-processing methods will be needed. The finished 3D-printed part's surface will typically contain visible lines from the layers and the surface will be rough.

In order to have a smooth surface finish, the 3D-printed part must first be sanded, polished, painted or subjected to heat treatment. These post-processing procedures increase the labour cost and the time to manufacture the 3D-printed part.

For metal 3D-printed parts, machining or stress-relief treatments would generally be considered necessary forms of post-processing to increase strength and dimensional accuracy.

### 6. Environmental Concerns

3D printing uses significantly less material than subtractive manufacturing; however, it also uses a lot more electricity while operating as most prints take a long time to produce.

Waste can be generated from failed prints, or failed prints that have support structures or unused materials.

Many plastics used for 3D printing do not decompose naturally, which may cause harm to the environment.

Sustainable production of 3D printed items and the existence of proper recycling systems will be necessary to reduce 3D printing's impact on the environment.

Energy efficient printers and environmentally friendly filament can be beneficial to sustainability in 3D printing.


### 7. Technical Expertise and Skill Requirements

To understand the world of 3D printing you need to have some technical understanding of CAD, printer parameters, materials, printing and the post-processing of a material. Without the correct training, when printing, the user will face issues

such as incorrectly set parameters, a lack of adhesion between layers, or incorrect design.

Many industries require trained personnel who have knowledge from both the software and hardware sides of 3D printing. Without trained individuals, many companies are limited in how they can use 3D printing technology.

To help students develop this knowledge, colleges and universities need to offer students thorough training and hands-on experience in additive manufacturing (3D printing).



## SUGGESTIONS

### 1. Proper Design Preparation

Preparing a precise document is critical before 3D printing. CAD should be used to create a clean and precise model before printing any object. Precise measurement, dimensional accuracy, and thickness of walls are all very important elements of the design phase. If the design has inadequacies, there will also be problems with the object that was created from the design. If you are going to attempt 3D printing as a beginner, start with a basic design, not an advanced design. The presence of thin walls, sharp corners and unsupported overhanging areas on the object could result in failure or breakage during printing. Prior to converting the model file to STL for printing, all model files must be checked for the presence of gaps or overlapping surfaces..

### 2. Choosing the Right Material

Choosing the right type of material is critical

when performing successful 3D printing. Different materials have unique characteristics. The most common materials are PLA, ABS, PETG, resin, and nylon. PLA is a good option for novice users since it is a very easy material to use. ABS is the strongest of the common materials and has a high tolerance for heat. PETG can be both strong and flexible and is therefore used in many applications. Resin can create a smooth surface finish and very high detail. When selecting a material, you must take into consideration your intended use of your printed part. For instance, if you want to print a decorative piece, you can use PLA; however, if you want to print a functional/movable part, then you will need a stronger material, such as ABS or PETG.

### 3. Proper Printer Calibration

For printing to go smoothly, the printer should be set up properly. Calibrating the bed is very important; if the print surface is not level, the first print layer will not stick to it resulting in possibly total fail of print job. Adjust the height of nozzle properly. Also ensure the settings for nozzle and heated bed are correct for the type of material being printed. Good calibration provides a better surface to create an accurate print with less trouble during the printing process.

**Table 2: Important Suggestions for Successful 3D Printing**

| Measure                            | Main Points Included   | Importance   |
|------------------------------------|--|--|
| Design Preparation                 | Use CAD software, check dimensions, avoid thin walls, convert to STL     | Prevents defects and ensures accurate printing             |
| Material Selection                 | Choose suitable material like PLA, ABS, PETG, Resin, Nylon               | Provides required strength, flexibility, and finish        |
| Printer Setup & Calibration        | Bed leveling, nozzle height, temperature settings                        | Improves adhesion and reduces print failure                |
| Slicer Settings & Print Planning   | Adjust layer height, speed, infill, supports, preview model              | Controls quality, strength, time, and material usage       |
| Safety & Maintenance               | Avoid hot parts, check wiring, clean nozzle, store filament properly     | Prevents accidents and increases printer lifespan          |
| Quality Check & Environmental Care | Inspect defects, post-processing, reduce waste, use recyclable materials | Ensures product standards and environmental responsibility |

#### 4. Adjusting Slicer Settings

Slicing software is required to be able to create a physical object through 3D printing. It takes an object that exists in 3D space (for example a digital file) and develops a set of instructions to allow for the creation of that object in physical form using 3D printing. The parameters of the slicing process are outlined below:

- Layer Height (the thinner the layer, the better the quality of the print).
- Print Speed (if you set the print speed too high, it will negatively affect the quality of your finished print).
- Infill Density (the amount of infill will affect the strength of the finished product).
- Support Material (used when printing overhanging features).

By modifying these different parameters, it is possible to make a noticeable change in the quality of the final product you will receive.

#### 5. Maintaining Proper Environment

Print Quality is also affected by the environment in which your printer is located. The printer will work best on a stable surface free of vibrations. If you make sudden movements while the print head is moving, this will adversely affect your final print. The temperature of the room where the printer is located should be stable, especially for printing with materials like ABS that can warp in cold air. Proper ventilation is needed when printing with some materials as they can give off fumes during printing; also, having a clean workspace will help you avoid dust or contamination while your prints are being created.

#### 6. Following Safety Measures

3D printers require you to take precautions for your safety when using them; for example, the print bed and nozzle of the printer heat up during printing and will burn your hand if you touch them. You must check the printer's electrical wires often to ensure that they are not shorting together. The printer should also be kept out of reach of children and pets. If you use a resin printer, you should also wear gloves and a mask while using it to avoid getting resin on your skin and/or breathing in harmful vapours. Last, you should always turn off the printer after you are finished using it.

#### 7. Regular Maintenance of Printer

In order to prolong their usefulness over time, printed products must receive proper routine maintenance. To minimize the chances of blockages, you must clean out the nozzles. Store your filaments in a dry area to prevent the filaments from absorbing moisture. Moving parts (belts, etc) should be examined and re-tightened if required. The lubrication of mechanical components allows for more fluid motion. Updating software/firmware will enhance performance while reducing (or eliminating) technical difficulties.

#### 8. Testing and Quality Checking

Evaluate any type of defect such as cracks, warping, and layer separation when checking a printed part after it has been processed. You can check to see if the printed part meets the required dimensions for accuracy. At this stage you may want to perform some post-processes on the printed part including sanding, polishing, and painting etc.. By testing the printed part you will confirm that it meets the design requirements and performs the intended purpose or use of the part.


#### 9. Time and Material Management

Proper planning of a print will save you on waste of both time and materials. If a print is complex or large, you are often investing hours to complete the print. If you preview of the print in the slicer, you may be able to identify and correct errors in your print prior to beginning the actual print. By using the proper infill and support settings, you will save on the amount of material used during the print. Keeping track of all of the settings used will assist with reprinting successful prints multiple times.

#### 10. Environmental Responsibility

Trying to reduce our impact on the environment is one of the most important considerations when using 3D printing technology. One way to do this is to use recyclable or biodegradable materials such as PLA wherever possible. Reducing pollution is one way we can all work together for a cleaner planet. It is essential to verify that the design is correct before printing, as this will limit the possibility of an error and wasted filament. Proper disposal of failed prints is also necessary, along with recycling whenever possible. Reducing electricity consumption through energy-efficient printer operation will result in lower

costs for all users and protect our environment by using less energy overall.



## CONCLUSION

Additive manufacturing, often referred to as three-dimensional (3D) printing, is revolutionizing fields, science, and education through new and innovative methods of developing or creating a customized product produced in layers via a computer-aided design (CAD) file. Although the use of 3D printing for rapid prototyping has developed into a versatile production system used in a variety of industries (specifically; medical, aviation and aerospace, automotive, consumer products, & educational), the impact of 3D printing is best demonstrated by conducting evaluations of both the technical and operational characteristics of additive manufacturing technologies and processes.

The primary benefit of 3D printing technology stems from its ability to provide designers and manufacturers with unrestricted creative possibilities in their work. 3D printing allows designers to create extremely complex products which contain intricate internal structures and lightweight strong components whereas traditional manufacturing methods limit output because they depend on specific equipment and cutting techniques. The evolution of work areas such as aerospace engineering emerged from this capability which enables engineers to reduce aircraft weight while maintaining their necessary structural integrity. Through additive manufacturing techniques lattice structures and hollow components enable the creation of lightweight aircraft and space products which result in decreased operational expenses and decreased environmental pollution. The field of medicine uses this design flexibility to

create customized prosthetics and surgical guides and implants which improve clinical outcomes while providing doctors with tools to adapt treatments to their patients' specific needs thus demonstrating how the technology benefits society.

3D printing technology provides its users with customized production capabilities which serve as its main distinguishing feature when compared to traditional manufacturing methods. The system enables businesses to manufacture their specific needs through its ability to create custom products which operate at maximum efficiency and deliver extensive advantages to both industrial users and individual customers. Digital scanning and additive manufacturing enable the creation of patient-specific medical treatments which use precise anatomical replicas for implant and prosthetic design. Consumers can design their own footwear glasses and jewelry because manufacturers use 3D printing technology to create customized products without needing to operate mass production facilities or create specific moulds. Product customization according to individual customer needs produces better customer satisfaction results while small manufacturers and niche markets benefit from this production method which enables them to deliver affordable products through limited area distribution.

Another significant benefit of 3D printing is the fast-tracked development of products through rapid prototyping. The conventional method of prototyping is a lengthy process and consists of several stages of tooling and complicated manufacturing processes that take a considerable amount of time and effort. Additive manufacturing has significantly minimized these stages to a large extent by enabling designers and engineers to rapidly develop prototypes of products designed through computer-aided design (CAD) software in a matter of a few hours. Rapid prototyping has enabled faster testing, analysis, and optimization of products, thus shortening the time-to-market. Organizations that implement 3D printing in their product development activities can rapidly react to market requirements, test new product designs, and commit fewer mistakes before embarking on mass production. This has been an "almighty" benefit for high-tech companies, where the capability to make intelligent prototyping decisions has been the key

differentiator in sustaining a competitive edge.

Over the last several years, there have been tremendous advances in the capability to use flexible materials in 3D printing. In the past, only thermoplastics (such as PLA and ABS) could be used for additive manufacturing; now there are also a wide range of other materials available to engineers and researchers to allow them to select a specific type of material for their design/production needs, including metals, ceramics, composites, and biocompatible materials. An excellent example of how metal 3D printing allows for the production of complex aerospace components that were previously only possible to create using traditional methods is through the development of aerospace parts that can't be made with conventional means. Similarly, 3D printing with bio-inks and the development of tissue-engineered constructs have revolutionized the fields of medical research and regenerative medicine by providing scaffolds for the growth of cells or developing organs.

Although 3D printing offers numerous advantages; there remain several challenges to overcome before fully utilizing the benefits of 3D Printing technology. These concerns are due primarily from limitations associated with the materials used; variability in the methods/ processes by which they are manufactured; high cost(s); and the potential side effects to the environment. To maintain proper dimensional accuracy, and continue to receive consistent quality from print-to-print requires dimensional accuracy, particularly with regards to the manufacture of functional parts for use within the aerospace, biomedical, and automotive industries. Additionally; the industrially scalable mass uptake of 3D Printing may be limited by the total cost of equipment; material cost(s); and energy consumption(s) required. Further experimental research & development efforts will be needed within the area(s) of developing materials; improving existing processes; and implementing environmentally friendly practices, all of which are critical in establishing long term, consistent, and sustainable use(s) of 3D Printing technologies and their associated processes

Technical knowledge and skills of the workforce are also a requirement to ensure successful adoption of

additive manufacturing. Designers, engineers, and technicians require a solid ability to understand CAD models as well as how to operate the printer, how the various materials will behave and how to utilize various post processing techniques to achieve optimal results. Educational institutions and training programs will help develop professionals of the future so they may utilize the full capabilities offered by 3D printing. Education and research using additive manufacturing will also instigate imagination, innovation, and collaboration across disciplines which will strengthen the long-term relevance of 3D printing technology.

The rise of 3D printing technology has led to increased awareness of the impact that this technology has on the environment. Since we build three-dimensional objects through the processes of additive manufacturing (AM), we create less waste than traditional subtractive processes by only adding material where needed. However, both the amount of energy consumed during AM processes and the use of non-recyclable materials remain concerns. Creativity in producing recyclable and/or biodegradable materials, improving energy efficiency and minimizing the number of failed prints will help align 3D printing with global sustainability efforts. If these three factors can be addressed, then the benefits of AM will not change but rather help create a more sustainable manufacturing process.

Additive manufacturing in the future has a very bright future, it is expected to expand and innovate. Process control will improve through the use of artificial intelligence, machine learning, and real-time monitoring; this means fewer defects and greater efficiency overall. The development of new materials, such as smart composites and bio-materials, will expand the number of possible applications in different industries. Also, because 3D printing is becoming increasingly available to small and medium-sized businesses, new entrepreneurs, and educational institutions, manufacturing will be democratized and creativity will be driven to a higher level. As additive manufacturing continues its evolutionary process, it will probably converge with other technologies, i.e. robotics, the Internet of Things (IoT), and digital twins, leading to the creation of smart, connected, and automated production

systems.

## REFERENCES

1. Birt, J., & Cowling, M. (2018). Toward future 'mixed reality' learning spaces for engineering education. *Australasian Journal of Educational Technology*, 34(6), 63–77.
  - Examines how digital technology such as 3D printing facilitates hands-on engineering education.
2. Ford S., & Minshall, T. (2019). Inviting disruption: How additive manufacturing is transforming engineering education. *Engineering Education*, 14(1), 3–9.
  - Describes the change in education brought about by 3D printing technologies.
3. Gibson, I., Rosen, D. W., & Stucker, B. (2021). *Additive Manufacturing Technologies: 3D Printing, Rapid Prototyping, and Direct Digital Manufacturing*. Springer.
  - An exhaustive textbook on 3D printing and its applications to engineering.
4. Hussain, A., & Hussain, M. (2020). Impact of 3D printing technology on engineering education. *International Journal of Engineering Research and Technology (IJERT)*, 9(3), 245–249.
  - Emphasizes advantages of utilizing 3D printers for instruction and research purposes in engineering colleges.
5. Berman, B. (2012). 3D Printing: The new industrial revolution. *Business Horizons*, 55(2), 155–162.
  - Speaks about how 3D printing influences innovation and its effects on industries, including education.
6. Chua, C. K., & Leong, K. F. (2017). *3D Printing and Additive Manufacturing: Principles and Applications*. World Scientific Publishing.
  - Provides details on applications of 3D printing within academic and industrial contexts.
7. OECD (2021). *The Impact of Technology on Education – Insights from Research and Practice*. Organisation for Economic Co-operation and Development.
  - Discusses how future technologies such as 3D printing are transforming education systems worldwide.
8. Lipson, H., & Kurman, M. (2013). *Fabricated: The New World of 3D Printing*. John Wiley & Sons.
  - Gives an overview of how 3D printing is transforming industries such as education and research.
9. Irwin, J. L., Pearce, J. M., & Anzalone, G. C. (2015). The RepRap 3D printer revolution in STEM education. *3D Printing and Additive Manufacturing*, 2(2), 66–73.
  - Discusses the application of open-source RepRap printer towards fostering hands-on engineering education.
10. Ford, P. J., & DeCastro, J. A. (2019). Integrating 3D printing into mechanical engineering curriculum. *Advances in Engineering Education*, 7(3), 1–14.
  - Explores curriculum redesigns to include additive manufacturing for deeper student engagement.
11. Kwon, K.-S., & Kim, C.-H. (2020). Hands-on learning through 3D printing in engineering design education. *Education and Information Technologies*, 25(5), 4327–4343.
  - Emphasizes the learning advantages of experiential learning through 3D printing equipment.
12. Turner, B. N., Strong, R., & Gold, S. A. (2014). A review of melt extrusion additive manufacturing processes: I. Process design and modeling. *Rapid Prototyping Journal*, 20(3), 192–204.
  - Technical discussion that offers background information for students and teachers on the operation of 3D printers.
13. Martins, P., Oliveira, C., & Pereira, A. (2018). 3D printing as a tool to foster creativity in engineering students. *Education Sciences*, 8(4), 190.
  - Demonstrates how 3D printing assists in enhancing creative thinking and innovation in engineering classrooms.
14. Le, Q. T., & Lei, J. (2021). Enhancing engineering design thinking through additive manufacturing. *Journal of Engineering Education*, 110(4), 837–856.
  - Study on enhancing student problem-solving through design and fabrication tasks utilizing 3D printers.
15. Huang, S. H., Liu, P., Mokasdar, A., & Hou, L. (2013). Additive manufacturing and its societal impact: A literature review. *International Journal of Advanced Manufacturing Technology*, 67(5–8), 1191–1203.
  - Discusses the wider educational and industrial effects of additive manufacturing.
16. Nguyen, D. T., & Williams, K. (2020). 3D printing in engineering education: A systematic review of benefits and challenges. *Journal of STEM Education Research*, 3(1), 45–62.
  - Briefly summarizes major benefits, constraints, and suggestions for applying 3D printing to STEM education.
17. NASA Education Office (2022). *3D Printing in Space: Engineering Lessons for the Classroom*. NASA Educational Resources.
  - Provides hands-on classroom activities and case studies connecting 3D printing to aerospace engineering.