



TECHNOLOGICAL INNOVATIONS IN ADDRESSING CLIMATE CHANGE: AN ANALYTICAL REVIEW

Kaveri¹, Deepika², Faiza Taranum²

ABSTRACT

Among the defining global crises of the contemporary era, climate change stands out for its far-reaching consequences on ecosystems, economies, and human societies. The accelerated release of greenhouse gases driven by industrial activity, deforestation, and widespread fossil fuel consumption has triggered measurable shifts in global temperature, weather patterns, and sea levels. Addressing this crisis demands a systematic deployment of advanced technologies capable of reducing emissions and enhancing environmental resilience. This review investigates the extent to which emerging technological solutions — encompassing solar and wind energy, artificial intelligence (AI), the Internet of Things (IoT), electric vehicles (EVs), and intelligent grid systems — contribute to climate change mitigation. Through a synthesis of peer-reviewed studies and institutional reports, the paper demonstrates that strategic adoption of these innovations, when coupled with coordinated international policy frameworks, can substantially curtail the environmental risks associated with climate change and lay the groundwork for a sustainable global future.

KEYWORDS: Climate Mitigation, Renewable Energy, Artificial Intelligence, IoT Systems, Sustainable Development, Green Technology

1. INTRODUCTION

Climate change denotes a sustained transformation in atmospheric and oceanic conditions — including temperature, precipitation, humidity, and storm frequency — attributable predominantly to anthropogenic emissions. Since the onset of industrial-scale manufacturing, the concentration of carbon dioxide, methane, and nitrous oxide in the atmosphere has risen sharply, trapping solar radiation and warming the planet at an unprecedented rate. The downstream effects manifest as melting polar ice, rising sea levels, intensified cyclones, prolonged droughts, and accelerating biodiversity loss.

Governments, research institutions, and private enterprises are increasingly converging on technology-driven strategies as the most scalable response to this challenge. Harnessing solar irradiance and wind kinetics for electricity generation

dramatically reduces the carbon footprint of energy production. Machine-learning algorithms applied to atmospheric data improve both the precision and lead time of climate forecasting, enabling proactive rather than reactive disaster management. Meanwhile, IoT-enabled sensor networks deliver granular, real-time insights into pollution levels, water quality, and resource utilization across urban and industrial landscapes.

This paper examines the combined impact of these technological streams on climate change management. It proceeds by surveying relevant scholarship, describing the methodological approach, analysing key technologies, presenting findings, and offering a critical discussion of opportunities and constraints before concluding with directions for future inquiry.

¹ Assistant Professor,
Department of
Master of Computer
Application
Guru Nanak Dev
Engineering College
Bidar, India
² 2nd Department of
Master of Computer
Applications, Bidar,
India

How to Cite:

Kaveri, Deepika &
Faiza Taranum (2026),
Technological
Innovations in
Addressing Climate
Change: An Analytical
Review, International
Educational Journal of
Science & Engineering
(IEJSE), Vol: 9, Special
Issue, May 2026
633-638

2. MATERIALS AND METHODS


This study adopts a systematic secondary research methodology, synthesising evidence drawn from peer-reviewed journals, international agency reports, and conference proceedings published between 2019 and 2024. Source material was retrieved from repositories including IEEE Xplore, Elsevier Science Direct, Springer Link, and databases maintained by the Intergovernmental Panel on Climate Change (IPCC) and the International Energy Agency (IEA). Only publications that presented empirical data or rigorous quantitative modelling were included in the primary synthesis.

The technologies selected for analysis are those with demonstrated deployment at scale and measurable environmental outcomes. These include:

- 1. Solar photovoltaic and concentrated solar power (CSP) systems
- 2. Onshore and offshore wind turbine installations
- 3. Battery electric vehicles and associated charging infrastructure
- 4. AI-based climate modelling and real-time environmental monitoring platforms
- 5. IoT sensor networks for smart resource management in urban environments

Data extracted from each source were coded against standardised criteria covering emission reduction potential, deployment scalability, economic viability, and integration complexity. Comparative analysis was then performed to identify technology-specific strengths and cross-cutting implementation challenges.

Fig. 1: Systematic secondary research methodology flowchart.



2.1. Technologies used in climate change management

2.1.1 Renewable Energy Systems

Solar PV technology converts photons from sunlight directly into electrical current through the photovoltaic effect in semiconductor cells, producing electricity with zero operational carbon emissions. Modern silicon heterojunction cells now achieve laboratory efficiencies exceeding twenty-six percent, while commercial modules routinely surpass twenty-two percent. Wind turbines exploit aerodynamic lift to drive electrical generators; capacity factors for offshore installations have climbed above fifty percent in recent deployments, making them competitive with gas peaker plants for grid reliability.

2.1.2 Artificial Intelligence and Machine Learning

AI contributes to climate action across three broad domains. In forecasting, convolutional neural networks process multi-spectral satellite imagery to detect early signals of drought, flooding, or wildfire ignition with high spatial resolution. In energy management, reinforcement-learning agents optimise generation, storage, and load-balancing decisions in real time, reducing grid losses. In carbon accounting, natural language processing tools analyse corporate disclosures and supply chain data to produce independently verifiable emission inventories.


2.1.3 Internet of Things (IoT)

IoT architectures embed low-power sensors throughout urban infrastructure to capture continuous measurements of air quality indices, particulate matter concentrations, water consumption, and electricity load. Edge-computing nodes aggregate and pre-process this data locally before transmitting anomaly alerts to centralised dashboards. Smart building management systems leverage IoT feedback loops to regulate heating, ventilation, and lighting dynamically, yielding energy savings of fifteen to thirty percent relative to manually controlled counterparts.

2.1.4 Electric Vehicles

Battery electric vehicles eliminate tailpipe emissions at the point of use and, when charged from a renewable-heavy grid, achieve well-to-wheel carbon intensities substantially below those of internal combustion alternatives. Advances in lithium-iron-phosphate and solid-state battery chemistries are extending driving range while improving thermal safety and cycle longevity.

Fig. 2: Taxonomy of technologies selected for analysis



3. RESULTS

The synthesis reveals that solar and wind installations deployed since 2015 have collectively displaced an estimated 2.1 gigatonnes of CO₂-equivalent emissions annually, representing roughly six percent of global yearly emissions [1][2]. Nations with the highest renewable penetration — notably Denmark, Portugal, and Uruguay — have simultaneously recorded reductions in electricity costs, suggesting that the environmental and economic cases are complementary rather than competing.

AI-assisted wildfire prediction pilots in California and southern Australia demonstrated a median lead time of seventy-two hours before fire perimeter expansion, enabling pre-emptive evacuation and resource mobilisation [4]. In smart-grid contexts, AI dispatch algorithms reduced peak-load curtailment events by an average of thirty-eight percent across studied utility networks [5].


IoT-enabled water management programmes in Singapore and Barcelona achieved municipal water loss reductions of twenty percent within three years of deployment. EV market data indicate that as grid renewable shares exceed sixty percent, the lifetime carbon footprint of an electric passenger car falls below forty grams of CO₂ per kilometer, approaching

parity with cycling under average European conditions [8].

3.1 Rationale and Design for the Smart Green Grid

The **Rationale** for this system is built on the necessity of reconciling environmental goals with economic efficiency. By integrating high shares of renewable energy, the framework aims to displace an estimated 2.1 gigatonnes of CO₂-equivalent emissions annually, representing approximately six percent of global yearly emissions. This strategy is justified by data from nations like Denmark and Portugal, which prove that high renewable penetration can lead to lower electricity costs and enhanced resource security rather than financial strain. Furthermore, the rationale extends to public safety, leveraging technology to provide a seventy-two-hour lead time for wildfire prediction to enable pre-emptive evacuation.

Fig. 3: Design Rationale



3.2 Smart System Optimization Framework

AI-Driven Dispatch Optimization: The process of using artificial intelligence to coordinate the distribution of electricity from varied sources—specifically solar and wind—to ensure supply meets demand while reducing peak-load curtailment by an average of 38%.

1. Grid Integration Refinement: The technical calibration required to manage high renewable penetration; for example, ensuring that when grid renewable shares exceed 60%, electric vehicle charging is optimized to keep the carbon footprint below 40g CO₂/km.

2.

3. Dynamic Resource Allocation: The real-time adjustment of utility networks and IoT-enabled systems to minimize waste, such as directing energy flow to where it is most needed during peak hours or identifying leaks in water management systems.

Fig. 4 :Smart System Optimization Framework




Fig. 5: Validation of Experimental Results




Table 1: Technologies Analysed and Their Primary Environmental Role

Technology	Primary Function	Key Metric
Solar PV	Electricity generation	26% peak cell efficiency
Wind Turbines	Clean power production	>50% offshore capacity factor
Electric Vehicles	Zero-emission transport	<40 g CO ₂ /km (60% RE grid)
AI Monitoring	Predictive analytics	72-hr wildfire forecast
IoT Networks	Resource optimisation	15–30% energy savings

Table 2: Comparative Environmental Impact of Key Technologies

Technology	Principal Benefit	Implementation Challenge
Solar PV	Emission-free electricity	Intermittency & storage
Wind Energy	Scalable renewable power	Grid integration costs
Electric Vehicles	Transport decarbonisation	Charging infrastructure
AI Systems	Precision forecasting	Data privacy & compute
IoT Networks	Real-time resource control	Cybersecurity risks

4. DISCUSSION

The evidence collated in this review establishes that no single technology constitutes a complete solution to climate change; rather, the most promising pathways involve the strategic integration of multiple innovations within a coherent policy architecture. Renewable energy provides the clean

electricity backbone, while AI and IoT systems amplify efficiency and responsiveness across energy, transport, and environmental monitoring domains. Electric vehicles connect the transport sector to this clean grid, enabling sector coupling that multiplies the carbon dividend of each renewable megawatt-hour.

Several structural barriers temper these optimistic projections. Capital expenditure for large-scale renewable deployment remains prohibitive for lower-income nations, which paradoxically face the most severe climate risks. Technology transfer mechanisms enshrined in international agreements have so far proven insufficient to bridge this financing gap. Furthermore, the cybersecurity exposure of IoT and AI-dependent systems introduces systemic vulnerabilities: a successful attack on a smart-grid control system could destabilise energy supply for millions. Governance frameworks that anticipate these risks are therefore an essential complement to technical development.

Behavioural and social dimensions are equally important. Public acceptance of renewable installations, awareness of EV total cost-of-ownership advantages, and community engagement with smart city programmes all influence adoption rates independently of technological readiness. Inclusive design processes and transparent communication of environmental benefits are necessary to build the social licence that large-scale infrastructure transitions require.

5. CONCLUSION

This paper has demonstrated that an integrated portfolio of technologies — anchored by renewables and amplified by AI, IoT, and electrified transport — offers a credible and increasingly cost-competitive pathway to significant greenhouse gas reductions. The empirical evidence surveyed confirms measurable environmental benefits across multiple deployment contexts and geographic scales. Nevertheless, realising the full mitigation potential of these technologies requires overcoming persistent barriers related to financing, infrastructure, skills, governance, and public engagement.

The study concludes that technology alone is insufficient; it must be accompanied by enabling policy mechanisms, equitable international cooperation, and sustained investment in research and workforce development. Nations that align

technological ambition with institutional capacity and social inclusion will be best positioned to navigate the transition to a low-carbon economy while securing the well-being of their populations in the face of an already-changing climate.

6. ACKNOWLEDGMENTS

The successful completion of this research has been made possible through the invaluable guidance and technical expertise of several individuals and institutions. I wish to express my deepest gratitude to the faculty members and mentors whose academic rigor and critical insights materially strengthened the core arguments of this study. Their support was instrumental in refining the focus on how solar and wind installations, deployed since 2015, have contributed to the displacement of 2.1 gigatonnes of CO₂-equivalent emissions annually. I am particularly grateful for the peer reviewers whose feedback helped clarify the complex relationship between renewable penetration and the reduction of electricity costs in nations like Denmark and Portugal.

REFERENCES

1. IPCC, Climate Change 2023: Synthesis Report. Intergovernmental Panel on Climate Change, Geneva, 2023.
2. International Energy Agency, Renewables 2023: Analysis and Forecast to 2028. IEA Publications, Paris, 2023.
3. United Nations Environment Programme, Emissions Gap Report 2024. UNEP, Nairobi, 2024.
4. R. Rolnick et al., "Tackling Climate Change with Machine Learning," *ACM Computing Surveys*, vol. 55, no. 2, pp. 1–96, 2022.
5. T. Ahmad et al., "Artificial Intelligence in Sustainable Energy Industry: Status quo, Challenges and Opportunities," *Journal of Cleaner Production*, vol. 289, p. 125834, 2021.
6. D. Gielen et al., "The Role of Renewable Energy in the Global Energy Transformation," *Energy Strategy Reviews*, vol. 24, pp. 38–50, 2019.
7. A. Al-Fuqaha et al., "Internet of Things: A Survey on Enabling Technologies, Protocols, and Applications," *IEEE Communications Surveys & Tutorials*, vol. 17, no. 4, pp. 2347–2376, 2015.
8. O. Gröger et al., "Electric Vehicles Reviewed – Boundaries and Life Cycle Carbon Emissions," *Energies*, vol. 9, no. 3, p. 160, 2016.
9. S. Sioshansi & P. Denholm, "Emissions Impacts and Benefits of Plug-in Hybrid Electric Vehicles and Vehicle-to-Grid Services," *Environmental Science & Technology*, vol. 43, no. 4, pp. 1199–1204, 2009.
10. M. Alizadeh et al., "Demand-Side Management in the Smart Grid: Information Processing for the Power Switch," *IEEE Signal Processing Magazine*, vol. 29, no. 5, pp. 55–67, 2012.
11. K. Sopian et al., "Recent Advances in Silicon Heterojunction Solar Cells: A Review," *Applied Energy*, vol. 282, p. 116200, 2021.
12. G. M. Shafiullah et al., "Impacts of High Penetration of

- Solar Photovoltaic Generation on Dispatch and Reliability,” *Applied Energy*, vol. 210, pp. 110-121, 2018.
13. J. Tuerk et al., “The Economics of Offshore Wind: A Global Review,” *Renewable and Sustainable Energy Reviews*, vol. 156, p. 111957, 2022.
14. L. Butler et al., “Offshore Wind Energy: A Review of the Current Status and Future Directions,” *Energy Policy*, vol. 144, p. 111664, 2020.
15. Z. Wang et al., “Deep Learning for Climate Information Extraction from Multi-Spectral Imagery,” *Remote Sensing*, vol. 13, no. 12, p. 2341, 2021.
16. F. Creutzig et al., “Leveraging Digitalization for Urban Climate Mitigation,” *Nature Climate Change*, vol. 12, pp. 102-111, 2022.
17. Y. Sun et al., “Reinforcement Learning for Intelligent Energy Management in Smart Grids,” *IEEE Transactions on Smart Grid*, vol. 12, no. 3, pp. 2450-2462, 2021.
18. S. S. S. R. Depuru et al., “Smart Meters for Power Grid: Challenges, Issues, and Status,” *Renewable and Sustainable Energy Reviews*, vol. 15, no. 6, pp. 2736-2742, 2011.
19. M. H. Alsharif et al., “Internet of Things: A Review on Technological Infrastructure and Applications for Smart Cities,” *Sensors*, vol. 23, no. 3, p. 1420, 2023.
20. H. Hao et al., “Lifecycle Assessment of Carbon Footprint of Electric Vehicles in European Context,” *Journal of Industrial Ecology*, vol. 25, no. 4, pp. 915-928, 2021.
21. X. Li et al., “Next-Generation Lithium-Iron-Phosphate Batteries for High-Performance Electric Vehicles,” *Energy Storage Materials*, vol. 45, pp. 120-135, 2022.
22. K. M. Tan et al., “Integration of Electric Vehicles into Smart Grid: A Review on Vehicle-to-Grid (V2G),” *Renewable and Sustainable Energy Reviews*, vol. 53, pp. 720-732, 2016.
23. B. K. Sovacool et al., “The Political Economy of Energy Transitions: A Case Study of Denmark and Portugal,” *Global Environmental Change*, vol. 63, p. 102096, 2020.
24. M. G. Steen, “Global Production Networks and the Energy Transition: The Case of Wind Power,” *Geography Compass*, vol. 13, no. 5, p. e12435, 2019.
25. J. P. S. Catalão et al., “Short-Term Load Forecasting and Management in Renewable-Heavy Power Systems,” *Electric Power Systems Research*, vol. 190, p. 106631, 2021.
26. S. P. Hamburg et al., “Using IoT to Monitor and Reduce Municipal Water Loss: Case Studies from Singapore,” *Water Research*, vol. 201, p. 117345, 2021.
27. D. G. Victor et al., “Accelerating the Low Carbon Transition,” *Science*, vol. 366, no. 6464, pp. 418-420, 2019.
28. E. McKenna et al., “The Future of Solar PV: High Efficiency Cells and Systems,” *Progress in Photovoltaics*, vol. 29, no. 7, pp. 745-760, 2021.
29. L. Götz et al., “Cybersecurity in the Smart Grid: Risks and Mitigation Strategies,” *IEEE Security & Privacy*, vol. 18, no. 6, pp. 45-54, 2020.
30. C. F. Calvillo et al., “Energy Management and Planning in Smart Cities,” *Renewable and Sustainable Energy Reviews*, vol. 55, pp. 273-287, 2016.
31. P. K. Mallapragada et al., “Carbon Intensity of the Global Electricity Sector,” *Nature Communications*, vol. 14, p. 542, 2023.
32. R. Madlener and B. Hauert, “Economic Resilience of Sustainable Energy Systems,” *Energy Policy*, vol. 154, p. 112314, 2021.
33. Y. Zhou et al., “Smart Building Management Systems: A Review of Energy Efficiency and Comfort,” *Building and Environment*, vol. 188, p. 107457, 2021.
34. J. Rogelj et al., “Mitigation Pathways Compatible with 1.5°C in the Context of Sustainable Development,” *Nature*, vol. 573, pp. 357-363, 2019.
35. F. Birol, “The State of the Global Energy Transition,” *World Energy Outlook*, IEA, 2024.